



RACKING-UK

info@racking-uk.com

www.racking-uk.com

Storage & Workplace Equipment

01621 786630


**ASK US
TO QUOTE**



Workplace Equipment



- **Stairwalker Trucks**
- **Trolleys**
- **Plastic Containers**
- **Cylinder Stands**
- **Cycle Racks**
- **Material Handling Equipment**
- **Special Application Products**



**THERE IS NO
SPACE TOO BIG
TOO SMALL
OR TOO
AWKWARD!**

info@racking-uk.com www.racking-uk.com

2 Stairwalker Trucks

Stair Walker Trucks

The Stairwalker enables a person to carry up to 140kg with virtually no physical effort. The risk of back injuries and accidents are reduced with the aid of this equipment.

The biggest advantage of the Stairwalker is its low weight of 19.5 kg (without the batteries) and its ease of use. It runs

smoothly on 260mm cast iron roller bearing centre, foam filled rubber tyre wheels. An important safety feature is the brake that works automatically when the truck is pushed to the edge of the step, stopping the truck from rolling down the stairs.

Powered Stair Climbers

CODE	LIFT CAPACITY	CLIMBING SPEED MINUTES	HANDLES	HEIGHT CLOSED	HEIGHT OPEN	WIDTH	DEPTH	SHOE DEPTH	SHOE WIDTH
CSW001	140Kg	8/30	Adjustable	1060mm	1460mm	450mm	540mm	240mm	300mm
CSW002	140Kg	8/30	Fixed	1130mm	1130mm	450mm	540mm	240mm	300mm
CSW003	310Kg	4/10	Adjustable	1130mm	1800mm	590mm	520mm		

The CSW003 is not illustrated.



Technical Information

CODE	WEIGHT WITH BATTERIES	BATTERIES V/AH	CAPACITY WITH ONE CHARGE	SEALED LEAD ACID VAPOUR PROOF BATTERY	AUTOMATIC CHARGE	ADJUSTABLE CLIMBING SPEEDS
CSW001	28KG	2 x 12/5	15-30 floors	Included	Included	Included
CSW002	28KG	2 x 12/5	15-30 floors	Included	Included	Included
CSW003	46Kg	2 x 12/7,2	15-30 floors			

Options - Accessories

PRODUCT CODE	BC	HW	SS	CC
DESCRIPTION	BARREL / CRATE CLAMP	HAND WINCH STACKER ATTACHMENT	SAFETY STRAP	CHARGING CABLE FOR VEHICLE 12VDC

THERE IS NO SPACE TOO BIG TOO SMALL OR TOO AWKWARD!



Trolley - Folding

This brilliantly designed folding trolley is manufactured with an aluminium framework and moulded plastic shelves, so it is light and easy to handle. To assemble the unit you unclip the wheels

and push them in to their locations, then release the catch and open the trolley out. The top shelf can be folded up to allow easy access to lower shelf when loading.

	CODE	DIMENSIONS FOLDED	OVERALL DIMENSIONS UNFOLDED	SHELF SIZES	HEIGHT BETWEEN SHELVES	WHEEL DIAMETER	WEIGHT	CARRYING CAPACITY
A	PLF100	470 x 670 x 11mm	890 x 550 x 1030mm high	Top 510 x 350mm Lower 525 x 350mm	580mm	Front - 90mm in a swivel castors Rear - 170mm	6.5Kg	Top shelf – 15kg Lower shelf – 35kg

Trolley - High Load

The high platform avoids the need to bend when loading and unloading. The platform size and height is 1220mm x 610mm x 410mm high.

	CODE	OVERALL LENGTH	HINGED SIDE HEIGHT	HEIGHT OF ENDS FROM PLATFORM	WHEELS	CARRYING CAPACITY
B	PLH101NY	1525mm	200mm	835mm	180 & 200mm nylon	400kg
B	PLH101CR	1525mm	200mm	835mm	180 & 200mm cast iron rubber tyre	400kg
B	PLH101SC	1525mm	200mm	835mm	180 & 200mm steel centre rubber tyre	400kg



Trolley - Balance

A manoeuvrable trolley because of its 355mm steel centre rubber tyre wheels that are positioned in the centre. The trolley when not in use will rest on its end legs, which have a braking effect. The carrying capacity is 255 kg.

	CODE	PLATFORM LENGTH	PLATFORM WIDTH	PLATFORM HEIGHT	OVERALL LENGTH	HEIGHT OF SIDES FROM PLATFORM
C	PLB101	1220mm	610mm	460mm	1525mm	200mm
C	PLB201	1525mm	760mm	460mm	1830mm	200mm
C	PLB301	2000mm	1000mm	460mm	2220mm	200mm



4 Plastic Containers

Plastic - Box Trucks

From storing linen to holding rubbish our Plastic Box Trucks are perfect for all kinds of applications. The Box Trucks are tapered to allow them to nest when not in use, saving valuable storage space.

	CODE	INTERNAL LENGTH	INTERNAL WIDTH	INTERNAL HEIGHT	OVERALL HEIGHT	WHEELS	CARRYING CAPACITY
A	BPT101	915mm	610mm	610mm	760mm	100mm Nylon in a fixed frame, tilt steering	200Kg
	BPT201	1220mm	610mm	610mm	760mm	100mm Nylon in a fixed frame, tilt steering	200Kg



Plastic - Stack Nest Boxes

These boxes will nest for storage, turn them through 180 degrees and they stack. The sides and base can be solid or perforated and they are available in blue, green, red, white, and grey.

	CODE	OVERALL LENGTH	OVERALL WIDTH	OVERALL DEPTH	CAPACITY	TYPE
B	SNB001	600mm	400mm	200mm	32 litres	Solid
	SNB002	600mm	400mm	200mm	32 litres	Perforated
C	SNB003	600mm	400mm	300mm	44 litres	Solid



Fits OPC102/103 (Page 15)



Plastic - Bar Stack Nest Boxes

These boxes will nest for storage, swing in the bars at each end and they stack. The sides and base can be solid or perforated and they are available in blue, green, red, white, and grey.



	CODE	OVERALL LENGTH	OVERALL WIDTH	OVERALL DEPTH	CAPACITY	TYPE
D	BSNB001	600mm	400mm	200mm	32 litres	Solid
	BSNB002	600mm	400mm	200mm	32 litres	Perforated

Plastic - Lidded Boxes

These boxes will nest for storage, turn them through 180 degrees and they stack. The boxes have side hinged lids that latch together in the centre and there is a provision for fitting a security seal. They are available in blue, green, red, white, and grey.

	CODE	OVERALL LENGTH	OVERALL WIDTH	OVERALL DEPTH	CAPACITY
E	LNB001	600mm	400mm	250mm	40 litres
	LNB002	600mm	400mm	350mm	60 litres

THERE IS NO SPACE TOO BIG TOO SMALL OR TOO AWKWARD!



Cylinder Racks - Single Sided

These Single Sided Cylinder Racks are fixed to a wall, to ensure safe storage. The units will take the popular sizes of cylinders,

which are retained by a safety chain. The width of the unit is 300mm and the height is 921mm.

Cylinder Diameter 100 to 180mm.			
	CODE	LENGTH	NUMBER OF CYLINDERS
F	CYS021	570mm	2
	CYS022	760mm	3
	CYS023	970mm	4
	CYS024	1385mm	6

Cylinder Diameter 140 to 265mm.			
	CODE	LENGTH	NUMBER OF CYLINDERS
F	CYS029	710mm	2
	CYS030	1010mm	3
	CYS031	1300mm	4
	CYS032	1900mm	6

Cylinder Racks - Double Sided

These Double Sided Cylinder Racks are free standing. The units will take the popular sizes of cylinders, which are

retained by a safety chain. The width of the unit is 600mm and the height is 921mm.

Cylinder Diameter 100 to 180mm.			
	CODE	LENGTH	NUMBER OF CYLINDERS
G	CYS025	570mm	4
	CYS026	760mm	6
	CYS027	970mm	8
	CYS028	1385mm	12

Cylinder Diameter 140 to 265mm.			
	CODE	LENGTH	NUMBER OF CYLINDERS
G	CYS033	710mm	4
	CYS034	1010mm	6
	CYS035	1300mm	8
	CYS036	1900mm	12

Cylinder Stand - Free Standing

These Free Standing Cylinder Racks can be positioned on any smooth surface. The cylinders are contained within the stand and held in place by a safety chain. They are suitable for cylinders up to 250mm in diameter.

	CODE	LENGTH	WIDTH	HEIGHT
H	CYS400	625mm	510mm	910mm
	CYS600	910mm	510mm	910mm

Cylinder Rack - Wall Mounted

Our Wall Mounted Cylinder Racks fit the popular sizes of cylinders, which are retained by a safety chain.

	CODE	LENGTH	DEPTH	TO FIT CYLINDER DIAMETER	NUMBER OF CYLINDERS
I	CYS017	550mm	120mm	100-180mm	2
	CYS018	760mm	120mm	100-180mm	3
	CYS019	710mm	140mm	140-265mm	2
	CYS020	1010mm	140mm	140-265mm	3



ASK US TO QUOTE

6 Cycle Racks

The Cycle Racks are manufactured out of mild steel and galvanised for long life. They are designed in sections for ease of delivery, and are bolted together on site. The different sizes and options covers most requirements for cycle parking

Cycle Racks - Straight Rack Wall Mounted

	CODE	LENGTH	NUMBER OF CYCLE RACKS	HEIGHT	DEPTH
A	CRW007	1800mm	4	500mm	190mm
	CRW001	3000mm	6	500mm	190mm
	CRW002	4500mm	9	500mm	190mm
	CRW003	6000mm	12	500mm	190mm

Cycle Racks - Angled Rack Wall Mounted

	CODE	LENGTH	NUMBER OF CYCLE RACKS	HEIGHT	DEPTH
B	CRW008	1800mm	4	500mm	170mm
	CRW004	3000mm	6	500mm	170mm
	CRW005	4500mm	9	500mm	170mm
	CRW006	6000mm	12	500mm	170mm

Cycle Racks - Single Sided Floor Mounted

	CODE	LENGTH	NUMBER OF CYCLE RACKS	HEIGHT	DEPTH
C	CRS007	1800mm	4	500mm	190mm
	CRS001	3000mm	6	500mm	190mm
	CRS002	4500mm	9	500mm	190mm
	CRS003	6000mm	12	500mm	190mm

Cycle Racks - Double Sided Floor Mounted

	CODE	LENGTH	NUMBER OF CYCLE RACKS	HEIGHT	DEPTH
D	CRS008	1800mm	8	500mm	340mm
	CRS004	3000mm	12	500mm	340mm
	CRS005	4500mm	18	500mm	340mm
	CRS006	6000mm	24	500mm	340mm



THERE IS NO SPACE TOO BIG TOO SMALL OR TOO AWKWARD!

We supply a wide range of equipment that will reduce the effort required by your employees to fulfil their work. Listed are some of the more popular products we can supply, but if you do not see what you need contact our sales office and they will arrange for one of our sales managers to call and discuss your needs.

Light Duty Scissor Lifts

These Scissors Lifts are small and manoeuvrable on their 125mm nylon, two fixed, two swivel castors and one swivel castor has a brake. The table is raised and lowered by hydraulics, activated by a foot pedal at the handle end. The capacity of these units are 150kg.

	CODE	LENGTH	WIDTH	HANDLE HEIGHT	OVERALL L X W	RAISED HEIGHT	LOWERED HEIGHT	WEIGHT	CONSTRUCTION MATERIAL
A	SLT001	750mm	450mm	940mm	990 x 450mm	780mm	255mm	41	Steel
	SLT002	750mm	450mm	940mm	990 x 450mm	780mm	255mm	24	Aluminium



Fork Lift Access Platform

The Access Platform when fitted to a forklift allows the operator in conjunction with the driver to safely access areas that require maintenance or work. The cage is locked onto the forks and

conforms to both H296, H296M (Bita) and Health & Safety guidance note PM28.

	CODE	LENGTH L X W	OVERALL WIDTH	HEIGHT	FORK WIDTH	FORK DEPTH	MAXIMUM LOAD
B	FLA001	1000 x 1000mm	1145mm	1900mm	173mm	90mm	250kg

CODE	OPTION TYPE
FLO001	Tool Tray
FLO002	Fluorescent Tube Holder
FLO003	Four Swivel Castors
FLO004	Overhead Guard



Hand Winch Stackers

The hand Winch Stackers are designed to fit through a doorway. The lifting mechanism is a braked non-slip geared winch, operated by a handle on the rear of the unit.

The products HWS001 & HWS002 have folding legs and forks for ease of storage and transportation. The large wheels ensure easy manoeuvring over all surfaces. The winch is fitted with a Spectra/Dyneema rope.

The product HWS003 has castors fitted with polyurethane tyre wheels and brakes. The castors also have a toe guard for operator safety. The winch is fitted with a stainless steel cable and can be adjusted to double the lift rate when the load is half the rated capacity.

CODE	C	HWS001	C	HWS002	D	HWS003
CARRYING CAPACITY		150kg		150kg		150kg
LOAD CENTRE		270mm		270mm		305mm
FORKS RAISED HEIGHT		930mm		930mm		1500mm
LOWERED FORK HEIGHTS		55mm		55mm		90mm
OVERALL WIDTH & LENGTH		680 x 850mm		680 x 850mm		610 x 975mm
OVERALL HEIGHT		1300mm		1300mm		1925mm
FORK LENGTH		530mm		530mm		510mm
WIDTH ACROSS FORKS		340mm		340mm		100 to 600mm Adjustable
FORK WIDTH & DEPTH		30 x 50mm		30 x 50mm		50 x 20mm
FREE LIFT		880mm		880mm		1430mm
WEIGHT		33kg		33kg		83kg
WHEEL SIZE & TYPE		255mm Pneumatic		255mm Rubber		120mm Polyurethane



Stackers

We can offer a wide range of manual and power driven Stackers, with capacities up to 1000kg. Contact our Sales Office and they will arrange for one of our Sales Managers to call and discuss your requirements.

Low Load Trailer

The trailer has been designed to carry 2 roll cages with a castor configuration that will work in confined areas. The low floor ensures easy loading via a ramp at the rear.

	CODE	OVERALL LENGTH & WIDTH	INTERNAL LENGTH & WIDTH	INTERNAL HEIGHT	RAMP LENGTH	GROUND CLEARANCE	CASTORS
A	PLL002	2163mm 1050mm	1750mm 760mm	750mm	750mm	120mm	200mm steel centre roller bearing elastic rubber tyre

Cylinder Trailer


The Cylinder Trailer has a low platform with a ramp each side that ensures easy loading. The unit can be configured to carry the type and quantity of cylinders to meet your needs. 14 bottle dividers and chains are supplied per trailer.

	CODE	OVERALL LENGTH & WIDTH	INTERNAL LENGTH & WIDTH	INTERNAL HEIGHT	RAMP LENGTH	GROUND CLEARANCE	WHEELS
B	CYT600	2250mm 890mm	1220mm 610mm	940mm	588mm	75mm	355mm steel centre roller bearing rubber tyre

Garment Rails

We have developed two Garment Rails that work successfully in the yard as the warehouse. The single rail has a drop down middle rail to accommodate long items. The four rail allows a large volume of items to be stored and moved easily. The rails nest for storage and have buffer wheels on each corner to prevent damage to wall, doors, and fixtures. The units move on four 125mm grey non-marking swivel castors, two have brakes.

	CODE	OVERALL LENGTH	OVERALL WIDTH	TOP RAIL HEIGHT	MIDDLE RAIL HEIGHT	HANGING HEIGHT
C	CRM001	1620mm	650mm	1828mm	1030mm	800mm, 1400mm when middle rail dropped
D	CRM002	1380mm	810mm	1850mm	1120mm	700mm top rail, 860mm middle rail



ASK US TO QUOTE

Tyre Trolleys

The Tyre Trolleys have been designed to carry tyres in a safe and efficient manner. The high truck will carry 10-15, the long truck, with a load platform 3840mm in length will carry 50.

	CODE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	SHOE LENGTH	WHEELS	CASTORS
A	TYH001	-	510mm	1675mm	458mm	200mm steel centre rubber tyre	
B	TYL001	3924mm	620mm	1300mm		200mm nylon in the centre	2 x 125mm nylon swivel at each end

Wheelchair & Loading Ramp

To ensure safe access in to buildings for wheelchairs and goods, we have developed a unique portable ramp. The ramp, once lowered to the ground is braked and is secure. The top section of the ramp is then unfolded onto the highest level to be reached and is then ready for use. The minimum step height that the ramp can service is 200mm, with the maximum being 500mm. The frame is produced in safety yellow with the ramp surface being covered in a black anti-slip finish. The unit weighs 49Kg and is easily manoeuvred by a single person.

	CODE	SIZE CLOSED HXWXD	RAMP LENGTH	INTERNAL WIDTH	MAXIMUM DEPTH OF STEP	SAFE WORKING LOAD	WHEELS
C	WCR003	1150x800x560mm	2000mm	740mm	760mm	230kg	200mm steel centre rubber tyre



Fire Extinguisher Trolley

The Fire Extinguisher Trolley carries two extinguishers and a fire bucket. We have other trolleys in the range that carry more equipment contact our sales office for details. The equipment shown in the photograph is not included in the FET001 price.

	CODE	OVERALL HEIGHT	OVERALL WIDTH	OVERALL DEPTH	BASE SIZE	WHEELS
D	FET001	1093mm	420mm	392mm	305mm	200mm plastic centre rubber tyre

Fire Control Products

	CODE	SIZE	TYPE
	FET002	6kg	ABC Powder
D	FET003	6 litre	Foam Spray
	FET004		Fire Bucket

THERE IS NO SPACE TOO BIG TOO SMALL OR TOO AWKWARD!

Racking UK

Racking UK is a family company supplying, installing and repairing all makes and types of storage and workplace equipment for almost 40 years.

Stephen Gray began installing shelving and racking systems in 1970. Initially providing an installation & repair service for manufacturers and trade distributors Racking UK has grown to establish a varied and diverse range of satisfied clients in all types of business.

After many, many years designing, installing and reorganising storage and warehouse systems we have a unique experience in creating innovative solutions for all types of business.

Racking UK modern approach and flexible and cost efficient storage solutions help you manage your business and budget.

- **FANTASTIC PRODUCTS**
- **A MODERN APPROACH TO SERVICE**
- **TRADITIONAL BUSINESS PRINCIPLES**

Value for Money Quality

Principally products we offer are manufactured in EU-based factories. Products that are strong, durable and made from EU-sourced materials and components. Where necessary products conform to EU standards.

We provide a wide range of quality systems designed to suit your individual requirements that fit perfectly into your work space. Classic quality systems that are built to last, look good and operate superbly.

All products are covered by manufacturer's warranty.

Customer Service

We will provide a *free preliminary visit to your premises, together with a no obligation quotation to offer our advice in selecting the right product for your requirements.

*Selected areas only.

Bespoke Solutions

If you can't find exactly what you need on our website www.racking-uk.com, we have the experience to design and manufacture a custom-made solution for your specific requirements...perfectly.

Everyone is responsible to ensure that the Health and Safety of employees and co-workers is considered of the utmost importance.

We have many years experience & a wide practical knowledge in repair and maintenance of storage and warehouse systems.

Our fully experienced and insured teams are available for installing, dismantling and rearranging all makes and types of storage systems.

We can relocate systems to different locations, providing supplementary materials or purchasing redundant materials as necessary.

We provide a swift and cost-effective repair service to maintain statutory safety requirements for you within the framework of The Health and Safety at Work Act.

If you are in any doubt whatsoever about the current safe working condition and reliability of your storage equipment please contact us straight away to discuss your requirements.

It is our declared aim to deliver on time and within budget... every time!

Basildon, Brentwood, Billericay, Grays, Tilbury, West Thurrock, Wickford, Rayleigh, South Benfleet, Southend on Sea, Chelmsford, Witham, Braintree, Colchester, Maldon, Harlow, Epping, Bishops Stortford, Hertford, Hoddesdon, Cambridge, Hoddesdon, Stevenage, Potters Bar, Letchworth, Hitchin, Luton, Dunstable, Harpenden, Hemel Hempstead, Watford, St.Albans, Borehamwood, Northampton, Wellingborough, Peterborough, Bury St.Edmunds, Ipswich, Felixstowe, Dartford, Gravesend, Gillingham, Sevenoaks, Tonbridge, Royal Tunbridge Wells, Crawley, East Grinstead, Horsham, Maidstone, Ashford.



THERE IS NO
SPACE TOO BIG
OR TOO
AWKWARD!

www.racking-uk.com info@racking-uk.com **01621 786630**