



RACKING-UK

info@racking-uk.com

www.racking-uk.com

Storage & Workplace Equipment

01621 786630

**ASK US
TO QUOTE**

TIGER RACK®

European patent
No. 0686817

The ULTIMATE SHELVING SYSTEM



THE RACK



**THERE IS NO
SPACE TOO BIG
TOO SMALL
OR TOO
AWKWARD!**

info@racking-uk.com www.racking-uk.com



TIGER RACK®

European patent
No. 0686817

Racks
of refined
a steel cor



THE RACK



THERE IS NO
SPACE TOO BIG
TOO SMALL
OR TOO
AWKWARD!

www.racking-uk.com info@racking-uk.com **01621 786630**

polypropylene with
for extra strength




Top quality...
Perfection to the
smallest detail


-  cadmium-free
-  fit for food products
-  recyclable polypropylene

...FINALLY -
THE PERFECT RACK
more hygiene
more stability,
...at a fair price...

grills made from polypropylene




plates made from polypropylene



Save lots of space with **TIGER RACK!**

Free-standing from wall to wall, spanning up to 1775 mm

**ASK US
TO QUOTE**



HYGIENIC

TIGER RACK is much more hygienic because of the weldless and tight elements made from refined polypropylene.

TIGER RACK prevents liquids and dirt from entering the racks.

TIGER RACK can be easily cleaned.



from DOITY ENGINEERING



STABLE

TIGER RACK is much more stable and has more bearing capacity because of the special self-stabilizing connection technique *without the use of cross stays*.

TIGER RACK elements are manufactured applying the injection moulding technique.

TIGER RACK racks have a bearing capacity of 150 kg per shelf element, distributed load. The maximum bearing capacity per section is 600 kg.

TIGER RACK racks are easy to assemble without using any bolts and nuts.

TIGER RACK posts and traverses have a steel core for extra strength.



from DOITY ENGINEERING

VERSATILE AND FLEXIBLE

TIGER RACK - versatile:

- ▶ in cold rooms and freezers down to -30°C
- ▶ in wet areas - rustproof
- ▶ in laboratories, resistant to most chemicals
- ▶ in large kitchens, hotels and in the food processing industry, easy to clean and dishwasher-safe
- ▶ Computer environments – anti-static

TIGER RACK - flexible:

- ▶ height, depth and length gauges of 100 mm
- ▶ TIGER RACK: also available as a mobile rack with easily mountable castors
- ▶ TIGER RACK: beautiful and well thought-out design



DIMENSIONS AND COMBINATIONS


FRAMES

HEIGHT:


- 1500 mm
- 1600 mm
- 1700 mm
- 1800 mm

DEPTH:


- 300 mm
- 400 mm
- 500 mm
- 600 mm



GRILLS



PLATES



DEPTH:


- 300 mm
- 400 mm
- 500 mm
- 600 mm

SHELF LENGTH	QTY TYPE A	QTY TYPE B
600 mm	2	-
700 mm	1	1
800 mm	-	2
900 mm	3	-
1000 mm	2	1
1100 mm	1	2
1200 mm	-	3
1300 mm	3	1
1400 mm	2	2
1500 mm	1	3
1600 mm	-	4
1700 mm	3	2

OL = OVERALL LENGTH ; SL = SHELF LENGTH ; D = DEPTH

BASIC-UNIT

OL:



$$OL = SL + 80 \text{ mm}$$

- 680 mm
- 780 mm
- 880 mm
- 980 mm
- 1080 mm
- 1180 mm
- 1280 mm
- 1380 mm
- 1480 mm
- 1580 mm
- 1680 mm
- 1780 mm

ADD-ON-UNIT

OL:




$$OL = SL + 35 \text{ mm}$$

- 635 mm
- 735 mm
- 835 mm
- 935 mm
- 1035 mm
- 1135 mm
- 1235 mm
- 1335 mm
- 1435 mm
- 1535 mm
- 1635 mm
- 1735 mm

INTERMEDIATE UNIT

OL:




$$OL = SL + 30 \text{ mm}$$

- 630 mm
- 730 mm
- 830 mm
- 930 mm
- 1030 mm
- 1130 mm
- 1230 mm
- 1330 mm
- 1430 mm
- 1530 mm
- 1630 mm
- 1730 mm

CORNER-UNIT

OL:



$$OL = SL + 55 \text{ mm}$$

- 655 mm
- 755 mm
- 855 mm
- 955 mm
- 1055 mm
- 1155 mm
- 1255 mm
- 1355 mm
- 1455 mm
- 1555 mm
- 1655 mm
- 1755 mm





Mobile racks and serving trolleys



ask for more free information



THERE IS NO
SPACE TOO BIG
TOO SMALL
OR TOO
AWKWARD!

www.racking-uk.com info@racking-uk.com **01621 786630**